


E8/675



E8/389




E8/750

SEE PAGE 7  
PARTS LIST  
1928 - 1930

See page 7, silencer 70.00

Brass Lettered Plate for silencer 8.00 E8/750  
1928 - 1930



Efficiency of silencer certified by Automobile Association.



Pick-up, complete

KS1A 10.50




Washer for pick-up

460393 0.30




Burman Mainshaft Ball Bearing  
1928, Model Q G.Box, Part No. 350.




Contact Breaker Cover

454432 9.00

34.00



72-Q Kick Starter Case Cover  
.Box 116mm 8.00



64-Q Kick Starter Spring 6.50


99-Q  
CLUTCH

Clutch Springs 5.00 set

# ARIEL 1928


and 1929

Large selection of used Ariel spares in stock 1925 - 1960 please inquire




# Model W/NG


All parts new genuine Ariel unless stated.




845-38  
10.00 used



850-38 14.00 used



911-38



921-38



895-38



857-38 4.00



525-35



540-35

12.00 set set



16.00 18, 19, 20 Teeth

1336-41


- 857-38 Screw cap for rocker adjustment, used
- 845-38 Rocker box, inlet } used
- 850-38 " " exhaust } used
- 895-38 " spindle 6.00
- 1336-41 Sprocket, 20T. 1.17/32in. outside dia. over cam boss

Valve spring (outer)  
Valve spring (inner)

# A - R - I - E - L

Die klassischen englischen Motorräder.

3001 33C




BURMAN GEARBOX GROUP. Type CPSL.



3505B-42




3131-34



3061-36



3116-34



3081-39



3121-34



3335-31



3106-33



3136-39

3001-33C

Gearbox shell with fixed fittings (studs, bearings, bushes and pivot pin) 35.00 used 20.00

3081-39

Driving gear and bush, 32T 26.00

3106-33

Driving sprocket, 1 1/2 in. x 1 1/2 in. x 18T. 19.00

3136-39

Layshaft, small gear, 18T 14.00

3131-34

First gear layshaft, 32T 22.00

3061-36

Mainshaft new 30.00 used 20.00

3335-31

Kickstarter spring 6.00

\*3505B-42

Foot control lever, only 7in. centres used 10

3116-34

Third gear mainshaft, 27T 18.00


3121-34

" " layshaft, 23T 14.00

\* This lever is interchangeable with and supersedes 3505-39 and 3505C-39. The pedal is modified to dispense with the rubber.

## 1956-7 SQUARE FOUR MODEL 4G

Mk. II



78.00

1939 s. four used oil tanks, + fittings, limited amount. 45.00

5869-37 and swivel connection, delivery 14.00

5852-39 Oil tank

5864-37 Oil pipe adaptor


5863-37 14.00



5869-37



5864-37



5852-39


## Model W/NG



4915-32



4916-35



4630-39

4633-39

4630-39

Middle link, L/S (threaded holes)

4633-39

" " R/S (plain holes)

Used 25.00

Used 25.00

4915-32

Anchor plate

7.00

4916-35

Damper bottom plate

7.00

Various girder fork middle links used in stock right hand and left hand

# ARIEL

CORNUCOPIA  
 ENTERPRISES  
 IN DER GRUND 2  
 VAHLBRUCH



All parts new genuine Ariel unless stated.




3388-36

**3388-36 Chain wheel centre tab washer** 1936-58  $\frac{1}{2}$  2.50

Fits Singles and Twins

Various used clutch parts in stock  
 Please state part number.

EXPLODED VIEW OF CLUTCH




For clutch springs and plates see page 21

## Das moderne Motorrad!

Part No.	DESCRIPTION OF PART	No. per Set	Price
<b>CLUTCH GROUP.</b>			
3350-36	Clutch case, 3-plate	1	20.00
3355-36-48	" centre, 3-plate	1	24.00
3361-36	" plate fitted fabric inserts	3	12.00
3400-36-44	Spring plate and thrust cup	1	3.00
3401-36	Thrust Cup only	5	5.00 (each/pro stuck)
3406-36	Clutch spring (for fabric inserts)	5	5.00 (set/ratz)
3410-31	" " cup	5	
3413-31	" " adjusting nuts	5	
3370-36	Clutch plain plate	4	20.00
3380-36	Chain wheel (4in. x .305 x 44T.) and centre	1	
3388-41	" " centre tab washer	1	
3391-36	" " bolt	6	
3394-36	Thrust washer (plain)	1	
3397-36	" " (keyed)	1	
3418-36	" " studs (2 or 3 plate clutch)	5	
3420-37	Needle roller cage..	1	
3423-36	" rollers	price per set of 12	
3432-36	Clutch operating rod	1	

BURMAN GEARBOX GROUP

3526-33	Control quadrant	5.00
3529-33	Ratchet sleeve	16.00



3231-33	Camshaft	21.00
3520-33	Spring box	12.00
3521-33	Cover plate for spring box	2.00
3522-33	Ratchet	12.00
3524-33	Pawl	4.00

3557-37G Gear sector, quadrant and ratchet assy. rivetted together 9.00

3320-37	spindle—splined	16.00
3325-31	quadrant	16.00

3211-33	Operating fork (mainshaft)	7.00
3215-33	" " (layshaft)	7.00

3526-33	3211-33	3231-33	3529-33
---------	---------	---------	---------

TIMING GEAR.

1755-34	1755-34 Cam assembly used 25.00	1770-34	1770-34 Timing pinion New 18.00 used 10.00
---------	---------------------------------	---------	--